

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

15 March 2008

(For the Period 1 March 2008 to 14 March 2008)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <http://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have most interested in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <http://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <http://assist.daps.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
N	SAE-AS22227	Bearing, Ball, Annular, Generator and Motor Generator [CUST: AV AS 99] [REVIEW: 11 MI]	A	3110	GS4		11-MAR-2008
M	MIL-PRF-18494F NOT 1	Life Rafts, Inflatable, Multi-Place [CUST: AS]	A	4220	AS		05-MAR-2008
M	QPL-5593-27 NOT 1	Hose, Aircraft, Low Pressure, Flexible	A	4720	CC		13-MAR-2008
M	QPL-AS604-17 NOT 1	Hose Assembly, Polytetrafluorethylene, Metallic Reinforced, 3000 PSI, 400 Deg. F, Heavyweight, Hydraulic (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	4720	CC		12-MAR-2008
M	QPL-AS1339-30 NOT 1	Hose Assembly, Polytetrafluorethylene, Metallic Reinforced, 3000 PSI, 400 Deg F, Lightweight, Hydraulic and Pneumatic (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	4720	CC		12-MAR-2008
M	QPL-5070-24 NOT 1	Adapter, Hose to Hose, Pipe and Flange, Reusable - Hydraulic, Fuel and Oil Lines, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	4730	CC		06-MAR-2008
M	QPL-AS5877-1 NOT 1	Nozzle, Aircraft Pressure Refueling (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	4930	AS		19-MAR-2008
M	QPL-26-155 NOT 1	Resistors, Fixed, Wire Wound (Power Type), General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5905	CC		05-MAR-2008
M	QPL-29-53 NOT 1	Resistors, Fixed, Meter Multiplier, External (High Voltage, Ferrule Terminal Type) (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5905	CC		05-MAR-2008
M	QPL-94-101 NOT 1	Resistors, Variable, Composition, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5905	CC		05-MAR-2008
M	QPL-62-86 NOT 1	Capacitors, Fixed, Electrolytic (DC, ALuminum, Dry Electrolyte, Polarized) General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5910	CC		05-MAR-2008
M	QPL-81-40 NOT 1	Capacitors, Variable, Ceramic Dielectric, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5910	CC		05-MAR-2008
M	QPL-3965-75 NOT 1	Capacitor, Fixed Electrolytic (Nonsolid Electrolyte), Tantalum, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5910	CC		13-MAR-2008
M	MIL-PRF-15733/72C	Filters, Radio Frequency Interference, Hermetically Sealed, Style FL54 [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV MC OS SH]	A	5915	CC		14-MAR-2008
M	A-A-59550B	Fuse, Inclosed Link, Thin-Film, Surface Mount (SM), General Requirements for [CUST: EC CC]	A	5920	/	CC	13-MAR-2008
M	QPL-W-F-1814-30 NOT 1	Fuse, Cartridge, High-Interrupting Capacity	A	5920	/	CC	12-MAR-2008
M	MIL-PRF-83383E(1)	Circuit Breakers, Remote Control, Thermal, Trip Free General Specification For [CUST: CR AS 11 CC] [REVIEW: 99 AT AV CR4 MI]	A	5925		CC	11-MAR-2008
M	QPL-W-C-375-22 NOT 1	Circuit Breakers, Molded Case, Branch Circuit and Service (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5925	/	CC	06-MAR-2008
M	MIL-PRF-8805/20N	Switches, Push, Momentary, 2 Circuit, Unsealed and Sealed [CUST: CR EC 11 CC]	A	5930		CC	03-MAR-2008
M	MIL-PRF-8805/72L	Switches, Sensitive, SPDT, Plunger, 4 Amperes, Hermetically Sealed Contacts, Unsealed Plunger [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH]	A	5930		CC	04-MAR-2008
M	MIL-PRF-8805/99H(2)	Switches, Push, 2 Circuit and DPDT, Alternate and Momentary Action, 2 Amperes, Splashproof [CUST: 11 CC] [REVIEW: 99]	A	5930		CC	06-MAR-2008
M	MIL-DTL-12211F NOT 1	Switch, Pressure [CUST: AT EC 11 CC]	A	5930		CC	06-MAR-2008
M	QPL-3786-46 NOT 1	Switches, Rotary (Circuit Selector, Low-Current Capacity), General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5930		CC	12-MAR-2008
M	QPL-3950-26 NOT 1	Switches, Toggle, Environmentally Sealed, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5930		CC	06-MAR-2008
M	QPL-5423-33 NOT 1	Boots, Dust and Moisture Seal (For Toggle and Pushbutton Switches, Circuit Breakers, and Rotary-Actuated Parts), General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5930		CC	13-MAR-2008
M	QPL-W-S-896-45 NOT 1	Switches, Toggle (Toggle and Lock), Flush Mounted (General Specification) (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5930	/	CC	12-MAR-2008
N	MIL-PRF-31031/40	Connector, Electrical, Receptacle, Radio Frequency, High Reliability, Coaxial, Series BMZ, Socket Contact, for Flexible Cable [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AS AT AV EA MC MI OS SH]	A	5935		CC	10-MAR-2008
N	MIL-PRF-31031/41	Connector, Electrical, Receptacle, Radio Frequency, High Reliability, Coaxial, Series BMZ, Pin Contact, for Flexible Cable [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AS AT AV EA MC MI OS SH]	A	5935		CC	10-MAR-2008
N	MIL-PRF-31031/42	Connector, Electrical, Receptacle, Radio Frequency, High Reliability, Coaxial, Series BMZ, Socket Contact, for Semirigid Cable [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AS AT AV EA MC MI OS SH]	A	5935		CC	10-MAR-2008
N	MIL-PRF-31031/43	Connector, Electrical, Receptacle, Radio Frequency, High Reliability, Coaxial, Series BMZ, Right Angle, Pin Contact, for Semirigid Cable [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AS AT AV EA MC MI OS SH]	A	5935		CC	10-MAR-2008
N	MIL-PRF-31031/44	Connector, Electrical, Receptacle, Radio Frequency, High Reliability, Coaxial, Series BMZ, Pin Contact, for Semirigid Cable [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AS AT AV EA MC MI OS SH]	A	5935		CC	10-MAR-2008
M	MIL-DTL-55181E	Connectors, Plug and Receptacle, Intermediate Power (Electrical, Waterproof), Type MW, General Specification for [CUST: CR EC 11 CC] [REVIEW: 99]	A	5935		CC	10-MAR-2008
M	MIL-DTL-55181/1D	Connector, Plug, Electrical, Waterproof, 4 Socket Contacts, Solder Turret, 35 AMP [CUST: CR EC 11 CC] [REVIEW: 99]	A	5935		CC	10-MAR-2008
M	MIL-DTL-55181/2D	Connector, Receptacle, Electrical, Panel Mount, Waterproof, 4 Pin Contacts, Solder Turret, 35 AMP [CUST: CR EC 11 CC] [REVIEW: 99]	A	5935		CC	10-MAR-2008
M	MIL-DTL-55181/3D	Connector, Plug, Electrical, Waterproof, 4 Pin Contacts, Solder Turret, 35 AMP [CUST: CR EC 11 CC] [REVIEW: 99]	A	5935		CC	10-MAR-2008
M	MIL-DTL-55181/4D	Connector, Receptacle, Electrical, Panel Mount, Waterproof, 4 Socket Contacts, 35 AMP [CUST: CR EC 11 CC] [REVIEW: 99]	A	5935		CC	10-MAR-2008
M	MIL-DTL-55181/5D	Connector, Plug, Electrical, Panel Mount, Waterproof, 9 Pin Contacts, Solder Cup, 7.5 AMP [CUST: CR EC 11 CC] [REVIEW: 99]	A	5935		CC	10-MAR-2008
M	MIL-DTL-55181/6D	Connector, Receptacle, Electrical, Waterproof, 9 Socket Contacts, Solder Cup, 7.5 AMP [CUST: CR EC 11 CC] [REVIEW: 99]	A	5935		CC	10-MAR-2008
M	MIL-DTL-55181/7D	Connector, Electrical, Plug, Intermediate Power, Waterproof, 18 Pin Contacts, Solder Cup, 7.5 AMPS [CUST: CR EC 11 CC] [REVIEW: 99]	A	5935		CC	10-MAR-2008
M	MIL-DTL-55181/8D	Connector, Receptacle, Electrical, Waterproof, Panel Mount, 18 Contacts, 7.5 AMP [CUST: CR EC 11 CC] [REVIEW: 99]	A	5935		CC	10-MAR-2008

ASSIST UPDATE

15-MAR-2008

INACTIVE SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-P-83927B NOT 3	Power Supplies, Guided Missile Launchers, Single Types PP-2401B/A PP-2401C/A PP-2401D/A, PP-4285/A, PP-4286/A, and Composite Type PP-4506/A and PS-1037 [CUST: 99]	A	1440		84	14-MAR-2008
M	MS51114D	Coil, Ignition-24 Volt DC (With Internal Ballast) [CUST: AT SH CC] [REVIEW: MC SA]	A	2920		CC	10-MAR-2008
M	MS51115B	Coil, Ignition-24 Volt DC (Without Internal Ballast) [CUST: AT SH CC] [REVIEW: MC SA]	A	2920		CC	10-MAR-2008
M	MIL-R-26/5D(1)	Resistor, Fixed, Wire Wound (Power Type), Styles RW70, RW74, RW78, and RW79 [CUST: CR EC 11 CC] [REVIEW: 19 AS MI]	A	5905		CC	12-MAR-2008
M	MIL-R-26/6D(1)	Resistor, Fixed, Wire Wound (Power Type), Styles RW80 and RW81 [CUST: CR EC 11 CC] [REVIEW: 19 AS MI]	A	5905		CC	12-MAR-2008
M	MIL-C-11272E	Capacitors, Fixed, Glass Dielectric General Specification for [CUST: CR EC 11 CC] [REVIEW: 19 99 MC MI]	A	5910		CC	03-MAR-2008
M	MIL-S-22885/27C NOT 3	Switch, Push Button, Illuminated, Switch Housings for, 10 Amperes, Double Break [CUST: EC CC]	A	5930		CC	05-MAR-2008
M	MIL-PRF-1/1701C NOT 2	Electron Tube, Gas Switching Type DOD 004 [CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC OS]	A	5960		CC	18-MAR-2008
M	MIL-PRF-1/1728B(1) NOT 1	Electron Tube, Power Type 8904 [CUST: CR EC 11 CC] [REVIEW: 99 AS AV CE CG CR4 MC MI OS SM]	A	5960		CC	11-MAR-2008
M	MIL-E-1/85C(1) NOT 2	Electron Tube, Receiving Type 5763 [CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC MI]	A	5960		CC	12-MAR-2008
M	MIL-E-1/1692A NOT 5	Electron Tube, Traveling Wave Type 8878 [CUST: 11 CC] [REVIEW: 99]	A	5960		CC	12-MAR-2008
M	MIL-PRF-55110G(3)	Printed Wiring Board, Rigid, General Specification for [CUST: CR EC 11 CC] [REVIEW: 16 19 99 AR AS CG MC MI NS OS SH TD]	A	5998		CC	29-FEB-2008

CANCELED SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-B-22227A NOT 2	Bearing, Ball, Annular, Generator and Motor-Generator (S/S by SAE-AS22227) [CUST: AV AS 99 GS4] [REVIEW: 11 MI]	A	3110		GS4	11-MAR-2008
M	MIL-E-1/97M(1) NOT 1	Electron Tube, Receiving Types 5899 and 6206 (No S/S Document) [CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC MI OS SH]	A	5960		CC	10-MAR-2008
M	MIL-E-1/373C(2) NOT 4	Electron Tube, Magnetron Type 6002 (No S/S Document) [CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC OS SH]	A	5960		CC	10-MAR-2008
M	MIL-E-1/1696A(1) NOT 3	Electron Tube, Traveling Wave Type 8872 (No S/S Document) [CUST: 11 CC] [REVIEW: 99]	A	5960		CC	10-MAR-2008
M	MIL-E-1/1722A NOT 3	Electron Tube, Magnetron Type DOD-015 (No S/S Document) [CUST: CR EC 11 CC] [REVIEW: 19 99 AR]	A	5960		CC	10-MAR-2008
M	MIL-I-17205C NOT 1	Insulation Cloth and Tape, Electrical, Glass Fiber, Varnished (See Notice 1 for Replacement Information) [CUST: CR SH 11] [REVIEW: 99 AR AS CR4 GS MC MI]	A	5970		SH	13-MAR-2008
M	MIL-I-19632B NOT 2	Insulation, Electrical, Dielectric Barrier, Laminated, Plastic Film and Rag Paper(No S/S Document) [CUST: SH] [REVIEW: GS]	A	5970		SH	13-MAR-2008
M	QPL-24541-12 NOT 1	Battery Cells and Elements, Lead-Acid, Main Storage, Submarine; General Specification for (Metric) (No S/S Document)	A	6140		SH	13-MAR-2008
M	MIL-I-4997A(1) NOT 7	Insulating and Jacketing Compounds for use in Cords, Cordages, and Cables (No S/S Document) [CUST: 11 CC]	A	6145		CC	15-MAR-2008
M	MIL-W-5845C(1) NOT 3	Wire, Electrical, Iron Constantan, Thermocouple (No S/S Document) [CUST: CR AS 11 CC] [REVIEW: EC MI OS]	A	6145		CC	15-MAR-2008
M	A-A-50569 NOT 2	Wardrobes: Clothing, Composite Wood and Metal (No S/S Document) [CUST: YD 99] [REVIEW: 84 MC]	A	7105	/	IS	10-MAR-2008
M	MS9226A NOT 4	Wire - Steel, Corrosion and Heat Resistant, Safety, 1800 Degrees F (No S/S Document) [CUST: CR4 AS 99 IS] [REVIEW: MI]	A	9505		IS	06-MAR-2008
M	SAE-AMS5405	Alloy Castings, Investment, Corrosion and Heat Resistant 64Ni - 8.0Cr - 10Co - 6.0Mo - 1.0Ti - 4.2Ta - 6.0Al - 0.015B - 0.08Zr Vacuum Melted, Vacuum Cast as Cast (No S/S Document) [CUST: MR AS 11]	A	MECA		11	10-MAR-2008
M	SAE-AMS-W-6858	Welding, Resistance: Spot and Seam (No S/S Document) [CUST: MR AS 11]	A	THJM		11	10-MAR-2008